



➔ BRAKE FLUIDS

➔ LUBRICANTS

➔ COOLANTS

➔ GREASES





## UNDER SINGLE UMBRELLA

Our intention is that all Automotive Brands come together “Under Single Umbrella”. Our Clients will be able to make immediate connections with the aim addressing needs as quickly and efficiently as possible and, ideally, to create flow through opportunity to best options without delay and associated risks.



## BEST PRICE

Buy Products at Lowest Prices for business. We offer our brand of Lubricants, Greases, Coolant, Battery, Tires, Tubes, Auto Spare Parts, Accessories & Auto Care Products at extremely competitive prices to satisfy our wide range of Distributor & Partners throughout the entire India and out of India.



## FAST & FREE SHIPPING

We offer fast and free shipping on all of our goods. Our free shipping plays a key role in delivering on the promise of affordable 2 day shipping. By reducing the average transit cost of your shipments, you will save in both cost and transit time. We promise to dispatch goods in just 16 hour.



## 24x7 HELPLINE

Our help line is available in National & International languages. This service is available on our Customer Care Numbers: **+91 9818125176, 7462824747** and you can mail us at [support@btlubricants.com](mailto:support@btlubricants.com). We are ready to help at all time.





## DIESEL ENGINE OILS

### TURBO GOLD 15W40 API -CF4

Available in 3L, 5L, 7.5L, 10L, 15L, 55L, 210L

**BT Lubricants Turbo Gold 15W40 CF4** is a premium quality multi grade diesel engine oil designed to provide excellent engine lubrication in turbocharged as naturally and aspirated diesel Engines. Formulated with highly hydro processed base oils and carefully selected additive chemistry. **BT Lubricants Turbo Gold** is designed to provide exceptional viscosity retention and high soot dispersancy required in turbo charged engines.

Recommended for use: TATA MOTOR, ASHOK LEYLAND, EICHER, ISUZU, MAHINDRA & MAHINDRA, AMW, SWARAJ, FORCE MOTORS etc.



### MULTI + API 20W40 - CF4

Available in API-CF4 7.5L, 5L, 210L

**BT Lubricants Multi +CF4 20W40** is a diesel engine oil which meets the requirements of a wide range of turbo charged and long drain intervals with high-performance engines behind construction equipment, tractors, passenger and goods vehicles on and off the road.

Tata motor, Ashok Leyland, Eicher, Isuzu, Mahindra & Mahindra, AMW, Swaraj, Force Motors etc.



## ENGINE OILS TWO, WHEELER



# GREASE



## RED GEL GREASE NLGI-3 PREMIUM - NLGI-3


Available in: 500G, 1KG, 2KG, 3KG, 5KG, 18KG, 50KG, 180KG

BT Lubricants RED GEL GREASE is a premium quality, super smooth, transparent, and extra long life lubricating grease. It is developed from selected base oil, special lithium complex thickener technology and advanced additives package, it gives optimum mechanical & thermal stability that ensures best suitability for wheel bearing of passenger car, farm equipments off and on, highway commercial vehicles and new generation multi axle trucks for long haul service. This product has NLGI-3 consistency

## AP-3 GREASE NLGI-3 PREMIUM

Available in: 500G, 1KG, 2KG, 3KG, 5KG, 18KG, 50KG, 180KG

BT Lubricants AP3 GREASE is based multi functional, water resistant anti rust purpose grease. It is manufactured from high quality thick stocks, has super natural high performance additives. This product is multi purpose grease of NLGI-3 consistency



## CHASIS GREASE NLGI-3 PREMIUM

Available in: 500G, 5KG, 18KG, 180KG

BT Lubricants CHASIS GREASE is a premium quality, super smooth, transparent, and extra long life lubricating grease. It is developed from selected base oil, special lithium complex thickener technology and severance additives package, it gives optimum mechanical & thermal stability that ensures best suitability for wheel bearing of passenger car, farm equipments off and on, highway commercial vehicles and new generation multi axle trucks for long haul service.



## 4T ACTIVE 20W40 API-SL PREMIUM

Available in: 900ML, 1L, 5L, 21L

**Synthetic performance 4 stroke** motorcycle oil, BT 4T Active premium is a high performance 4 stroke engine oil developed specially to meet the special **HERO, HONDA, BAJAJ, TVS, YAMAHA MOTORCYCLE** etc.

Recommended for use: **TATA MOTOR, ASHOK LEYLAND, EKHER, ISUZU, MAHINDRA & MAHINDRA ESCORT, TAFE, SONALIKA, AMW, SWARAJ, FORCE MOTORS** etc.

**ENGINE OILS**  
TWO WHEELER





# GEAR OIL

## REAR 85W140 API - GL 5

Available in: 1L, 5L, 7L, 12L, 20L, 55L, 210L

BT Lubricants REAR GEAR OIL 85W140 grade is a premium quality extreme pressure multi-grade automotive gear oil specifically designed for use for passenger cars and commercial vehicles rear in passenger car, vg to high speed, shock load, high torque, snoring torque high comsion high low torque and exigent conditions. Good cause cati-thri nostalganc-degut minimum exboducker. Protects against wear and snoring. High oxidation stability minimizing sludge and varnish formation. Effective rust and prevents component life.

### PERFORMANCE BENEFITS:

- Permits operation across broad temperature range.
- Smoother gear shifting performance.
- Longer gear and component life.

## ULTRA EP 90 API - GL 4

Available in: 1L, 5L, 20L, 26L, 55L, 210L

BT Lubricants ULTRA GEAR EP90 is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive and off-road heavy-duty gear drives where API GL 4 quality hilve GL 4 quality oils or extreme pressure additives to provide protection against oxidation and corrosion protection benefits.

### PERFORMANCE BENEFITS:

- Permits operation across broad temperature range.
- Smoother gear shifting performance.
- Longer gear and component life.



## GEARUP 80W90 API - GL 5

Available in: 1L, 5L, 7L, 12L, 55L, 210L

BT Lubricants GEARUP GEAR OIL 80W90 a premium quality extreme pressure multi-grade gear oil ideally suitable for passenger car and commercial vehicles for moderate, load sperating conditions fortified with carefully extreme pressure, additives toprovide against tvxl, and corrosion and anti oxidation properties benefits.

### PERFORMANCE BENEFITS:

- Permits operation across broad temperature range.
- Smoother gear shifting performance.



## ULTRA EP 140 API - GL 4

Available in: 1L, 5L, 20L, 26L, 55L, 210L

BT Lubricants ULTRA GRIP EP 140 is a high-performance gear lubricant designed to provide effective lubrication in a wide range of automotive and off-road heavy-duty gear drives where API GL 4 quality oils or extreme pressure additives to provide protection against oxidation and corrosion protection benefits.

### PERFORMANCE BENEFITS:

- Permits operation across broad temperature range.
- Smoother gear shifting performance.
- Longer gear and component life.



# PASSENGER CAR OILS

FOR DIESEL & PETROL ENGINE



## SYNTECH POWER + 5W30 API-SN CRUISE

Available in: 1L, 3.5L, 5L, 20L

**SYNTECH POWER+ 5W 30** oil a common motor oil viscosity that is recommended by many auto manufacturers for use in all types of modern vehicles passenger car SUVs & light vans including performance turbo charged and supercharged engines. **SYNTECH POWER+** formula is advanced as passenger car motor oil specially developed for high performance luxury powered or





## VISION

An International Lubricant Brand  
With A Reputation For  
**Performance, Value** And  
**Reliability**

## MISSION

1. To Provide High Performance, Value-for-money And Reliable Products As Per Market Standards.
2. Customer Satisfaction Through Best Service & Relationship.
3. Continuous Growth With Competent Team & Modern Technology.

## VALUE AND PHILOSOPHY

- ★ We Believe in Providing Best Performing Products at the "Optimum Price" as "Value for Money"
- ★ Customers Are Our Core Value
- ★ Innovation & Quality Driven Products
- ★ **Strong Partnership With Customers & Workshops**



**Quality • Performance • Trust**



## DIESEL ENGINE OILS

### TURBO GOLD 15W40 API - CF4

Available in 3.5, 5L, 7.5L, 10, 10L, 15L, 55L, 210L

**BT Lubricants Turbo Gold 15W40 CF4** is premium quality multi-grade diesel engine oil designed to provide turbocharging in all drive modes as naturally aspirated diesel engines. It also helps in providing positive torque and maintains engine health which helps in increasing its life and provides maximum protection for turbocharged engines.

Recommended for: Eicher LST TATA, HITACHI ESCORTS, ACE etc.



### MULTI + API 20W40 - CF4

Available in API-CF4, 7.5, 5L, 210L

**BT Lubricants Multi + CF4 20W40** is a premium engine oil that meets the requirements of a wide range of turbo-charged and long drain intervals with high performance engines behind construction equipment, tractors, passenger and goods vehicles on road at all times providing protection to all engine parts.

Recommended for:

EICHER, ISUZU, MAHINDRA & MAHINDRA ESCORT, TAFE, SONALIKA, AMIX, MASST, ... PIAT, MASST, MAW, ROLLAND, FORW, FINE MOTORS etc. ...





# PREMIUM COOLANT

## READY TO USE (RTU)

Available in: 500ML, 1L, 5L, 210L

BT Lubricants RTU COOLANT is ready to use automotive radiator coolant that protects modern engine components from winter freezing and summer boiling. It has superior anti-freeze & anti-corrosive properties.



## ANTI FREEZE 1:3

Available in: 1L, 5L, 210L

BT Lubricants HEAVY DUTY COOLANT is a new generation anti-freeze radiator coolant and corrosion inhibitor. It won't freeze and expand in hyper-cool temperatures like water. It protects your engine from cracking and experiencing increased pressure.



## FEATURES

- ✓ TOP-TIER CORROSION PROTECTION
- ✓ EXTENDED ENGINE LIFE
- ✓ YEAR-ROUND PERFORMANCE

## ANTI FREEZE 1:3

Available in: 1L, 5L, 210L

BT Lubricants HEAVY DUTY COOLANT is a new generation anti-freeze radiator coolant and corrosion inhibitor. It won't freeze and expand in hyper-cool temperatures like water. It protects your engine from cracking and experiencing increased pressure.

Available in: 500ML, 1L, 5L, 210L





## HYDRAULIC OIL

### HYDRA - AW32/46/68

Available in: 5L, 20L, 26L, 55L, 210L

**BT Lubricants** High Performance Hydraulic Oils have been developed to operate under moderate to severe conditions across a wide range of Industrial & Automotive application. They are well known to protect, lubricate and perform in **the most efficient and effective way to ensure smooth Operation and Long Service Life of the Hydraulic systems.**

Recommended for: **JCB, L&T, TATA, HITACHI, ESCORTS, ACE** etc.



### WET BRAKE OIL (UTTO)

Available in: 5L, 20L, 55L, 210L

**BT Lubricants** universal tractor transmission oil is a high performance fluid specially formulated with antiwear, rust & **pressure** additives for use in equipment where a common lubricant reservoir serves transmission, **axles & hydraulics** systems and requires quick type of fluid.

Recommended for:

**EICHER, ISUZU, MAHINDRA & MAHINDRA, ESCORT, TAFE, SONALIKA, AMW, SWARAJ, HMT, MASSEY, NEW HOLLAND, FORD, JOHN DEERE** etc.





## PRODUCT DATA SHEET

### SECTION 1: 15W40 CI-4 PLUS

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	10.5
Sulphated Ash, % Wt.	1.2
Kinematic Viscosity @40°C, cSt	110
Kinematic Viscosity @100°C, cSt	14.9
Viscosity Index min.	139
Flash Point (COC) °C min.	240
Pour Point °C Max	-33

### SECTION 2: 15W40 CH-4

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	9.1
Sulphated Ash, % Wt.	1.2
Kinematic Viscosity @40°C, cSt	110
Kinematic Viscosity @100°C, cSt	14.9
Viscosity Index min.	139
Flash Point (COC) °C min.	240
Pour Point °C Max	-33

### SECTION 3: 20W40 SL

PROPERTY	TYPICAL VALUE
TBM, mg KOH/g min.	9.2
80W00	—
Kinematic Viscosity @40°C, cSt	115
Kinematic Viscosity @100°C, cSt	12.9
Viscosity Index min.	138
Flash Point (COC) °C min.	238
Pour Point °C Max	-30

### SECTION 4: 80W90 GL-5

PROPERTY	TYPICAL VALUE
SAE Grade	80W90
Density	0.890
Kinematic Viscosity @40°C, cSt	192
Kinematic Viscosity @100°C, cSt	14.6
Viscosity Index min.	110
Flash Point (COC) °C min.	228
Pour Point °C Max	-30



## TRANSMISSION OIL

### BT LUBRICANTS TQ OIL ATF

Available in: 1L, 5L, 20L, 55L, 210L

**BT Lubricants TQ** transmission oil is automatic transmission fluid developed for the automatic transmission and power steering systems of vehicles specifying use of general motors.

The highly refined base oils and proven **performance** additives used in this oil enhanced **thermal stability**, frictional characteristics and rust & corrosion protection. It exceeds the performance requirements of general motors.



### PIMPSET OIL

Available in: API SAE 40 3.5L, 210L

**BT Lubricants Pump Set Oil SAE 40** heavy duty pump set oil manufactured from highly refined base oil. It has special additive to provide anti **corrosion** protection to engine internally during ideal periods. This engine oil is designed for both **compression** ignition and **spark ignition** type engines.

It is proprietary branded product, recommended for the types of **pumps Set Oil** is the check applicable for other **AGRICULTURE & FARM TILLERS, HARVESTERS**





## PREMIUM GREASE



### APLR-GREASE NLGI-3 PREMIUM

High-Performance Multi-Purpose Grease

- Water Resistant & Multi Functional
- Superior Anti-Wear & Corrosion Protection
- For Automotive, Industrial & Marine Applications

**Available in: 500g, 2KG, 18KG, 180KG**



## **BT Lubricants**

B2 1404, The Plaza at 106, Dwarka Expressway,  
Sector 106, Gurgaon 122006  
HARYANA

7462824747 · 9818125176

[support@btlubricants.com](mailto:support@btlubricants.com)